Studio Odontoiatrico Dr. Matteo Mezzera corso Martiri della Liberazione, 31 – 23900 LC – Tel. 0341.288598 C.F. MZZMTT76A31E507Q – P.Iva 02715030132

Description of the procedure which we follow on performing the dental services for

Fixed Dentures



dr. MATTEO MEZZERA STUDIO ODONTOIATRICC

These protocols are taken from the Quality Handbook according to UNI EN ISO 9001:2000 The Quality Handbook belongs to the Mezzera Dental Clinic The copy of the handbook, both full and partial, is forbidden

Index

PROTESI FISSA

- 1.1 FIRST APPOINTMENT
- 1.2 SECOND APPOINTMENT
- 1.3 THIRD APPOINTMENT
- 1.4 FOURTH APPOINTMENT
- 1.5 FIFTH APPOINTMENT

FIXED DENTURE

1.1 FIRST APPOINTMENT

1 Alginate impression (Xantalgin Heraeus) to study the case and prepare the temporary denture

2 Deliver of the impression to the lab

3 Preparation of the temporary denture and deliver to the clinic 3 days before the appointment with the patient

4 Preparation of the dental element with Komet drills from Dr Gracis kit, which is composed of:

- 1 Crown slitter H24
- 2 Separation cylindrical drill (881)
- 3 Decreasing cylindrical drill (S6881 012/ 014)
- 4 Finishing cylindrical drill (8881 012/014)
- 5 Correcting cylindrical drill (8837KR)
- 6 Olive (6368)
- 7 2-step rebasing of the temporary denture through self-cured resin (Coldpac-Motloid)
- 8 Occlusal adjustments and finishing
- 9 Temporary denture cementation through temporary cement Temp-Bond (Kerr)

1.2 SECOND APPOINTMENT

1 Temporary denture removal

2 Positioning of the first retractor wire '00 Ultrapac (Ultradent) soaked with Racestyptine

solution (Septodont)

- 3 Stump finishing
- 4 Positioning of the second retractor wire '0 Ultrapac (Ultradent)
- 5 Impression taking through Polyester Permadyne Penta H (3M Espe) or
- 6 Impregum Penta (3M Espe) or SiliconeWhaledent (Coltene)
- 7 Retractor wire removal
- 8 Temporary denture rebasing through resin (Coldpac)
- 9Temporary cementation of the temporary denture through Temp-Bond (Kerr)

1.3 THIRD APPOINTMENT

- 1 Metal test and product closing control through PSI (Coltene)
- 2 Temporary denture removal
- 3 Colour choice from VITA colour range
- 4 Temporary cementation of the temporary denture through Temp-Bond (Kerr)

1.4 FOURTH APPOINTMENT

- 1 Temporary denture removal
- 2 Aesthetic test and biscuit test
- 3 Temporary cementation of the temporary denture through Temp-Bond (Kerr)

1.5 FIFTH APPOINTMENT

1 Temporary denture removal

2 Delivery of the product to the patient and permanent cementation through Ketac Radiopaco (3M

Espe) or Unicem (3M)

3 Control of the occlusal surface through articulation paper Bausc BK01 or BK09 or Hanel Shimstock

micron 8

4 Delivery of the models and the temporary denture to the patient, who will keep them

5 Occlusal surface control after seven days.